

ius
System[®]
exhibition

ius
System[®]

ius
System[®]
Display

... Everything from a single source!



Table of contents




Table of contents	Site
Foreword	3
Types of screws	4
Irus connector	5 - 22
Irus connector accessories	23 - 26
Irus Flexi-Long	27 - 30
Irus Flexi-Long accessories	31 - 32
Application examples Flexi-Long	33 - 36
Application examples – connector Exhibition	37
Application examples – connector glass	38
Application examples – connector Displays	39
Flexi-Quick single products	40 - 49
Flexi-Quick Basic-, extension modules	50 - 57
Flexi-Quick Kabine	58 - 59
Construction options for an exhibition stand	60 - 64
Flexi-Quick exhibition stand accessories	65 - 66
Info-, brochure stands	67 - 69
Presentation uprights, Information panels	70 - 73
Flexi-Quick exhibition cube and towers	74 - 77
Flexi-Quick exhibition stands	78 - 87
Flexi-Quick Basic-, extension modules, Kabine, exhibition stands, exhibition cube and towers wall with fabrice	88 - 95


Foreword




... in the meantime has become a universal connection system thanks to the wide range of types of connectors and different groove widths as well the varying clamping screws (steel clamping screws = for panels; plastic clamping screws = for glass) groove widths from 3 - 16 mm are possible thanks to the use of different types of connector. Rigid foam, wood, glass, metal as well composite panels can be easily linked/interconnected. Due to the use of different clamping screws (steel or plastic) glass and other panels can be perfectly connected to other panels.




... individually



... robust



... universal



... simply

The system can be easily mounted depending on the size of the object by just one person.

The **Irus-Flexi-Long** was launched onto the market on 01.01.09 as an extension module for the Irus connector.

Gallery walls, information panels and partition walls as well as special construction techniques can be ideally realized with the **Irus-System**.

... another development to our existing range is the „**Irus-Flexi Quick**“. This now also allows trade fair stands to be erected and disassembled easily and quickly with only one tool. It is not necessary to drill individual panels. Just insert the panel in the groove. Choose the panel yourself. Whether hard foam, - wood, - glass, - metal, - or composite panels, all these panels with a thickness of max. 6 mm can be used. Minimum storage area required. Each component has a maximum length of 1250mm.

Thus all aluminium profiles in our new packaging can be easily stored.

By combining **Flexi-Long** and **Flexi-Quick** gallery walls, information panels and partitions can be easily implemented.





With the various Irus connectors you can now design the interior of an exhibition stand as desired. Whether counter construction, shelves,

partitions or other objects. The **Irus** series are compatible and can be combined with one another. All Irus connectors can be combined using **Flexi-Long**.


Types of screws




Thanks to the use of different clamping screws M 10x6, M 10x8, M 12x8, M 12x10 panel thicknesses of 3-5 mm, 5-8 mm, 8-10mm, 10-13 mm and 13-16 mm can be connected.



The steel clamping screws are suitable for connections to all types of panels.
(with the exception of glass)




For glass panels we recommend our plastic clamping screws.






Middle connector 180°

Material: Aluminium
Surface: silver coloured, anodized E6/EV1
Weight: 65 g
Stock item

Irus - Connectors




for panel thicknesses of 3 - 10 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	00.005
Steel clamping screw / of 5 - 8 mm	00.105
Steel clamping screw / of 8 - 10 mm	00.205
Plastic clamping screw / of 3 - 5 mm	01.005
Plastic clamping screw / of 5 - 8 mm	01.105
Plastic clamping screw / of 8 - 10 mm	01.205

„Our tip“

Simply release the panels to
fill the gaps.



Irus - Products



Support end connector

Material: Aluminium




Surface: silver coloured, anodized E6/EV1

Weight: 25 g

Stock item



for panel thicknesses of 3 - 10 mm




Support end connector

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 85 g

Stock item



for panel thicknesses of 10 - 16 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	00.007
Steel clamping screw / of 5 - 8 mm	00.107
Steel clamping screw / of 8 - 10 mm	00.207
Plastic clamping screw / of 3 - 5 mm	01.007
Plastic clamping screw / of 5 - 8 mm	01.107
Plastic clamping screw / of 8 - 10 mm	01.207
Steel clamping screw / of 10 - 13 mm	00.307
Steel clamping screw / of 13 - 16 mm	00.407
Plastic clamping screw / of 10 - 13 mm	01.307
Plastic clamping screw / of 13 - 16 mm	01.407



Irus - Products



Wall support

Material: Aluminium




Surface: silver coloured, anodized E6/EV1

Weight: 25 g

Stock item



for panel thicknesses of 3 - 10 mm




Wall support

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 85 g


Stock item



for panel thicknesses of 10 - 16 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	00.009
Steel clamping screw / of 5 - 8 mm	00.109
Steel clamping screw / of 8 - 10 mm	00.209
Plastic clamping screw / of 3 - 5 mm	01.009
Plastic clamping screw / of 5 - 8 mm	01.109
Plastic clamping screw / of 8 - 10 mm	01.209
Steel clamping screw / of 10 - 13 mm	00.309
Steel clamping screw / of 13 - 16 mm	00.409
Plastic clamping screw / of 10 - 13 mm	01.309
Plastic clamping screw / of 13 - 16 mm	01.409



Irus - Products


Wall support

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 50 g

Stock item



for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	00.010
Steel clamping screw / of 5 - 8 mm	00.110
Plastic clamping screw / of 3 - 5 mm	01.010
Plastic clamping screw / of 5 - 8 mm	01.110

Wall support

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 75 g

Stock item



for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	00.011
Steel clamping screw / of 5 - 8 mm	00.111
Plastic clamping screw / of 3 - 5 mm	01.011
Plastic clamping screw / of 5 - 8 mm	01.111

Irus - Products






Basic element type T

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 35 g

Stock item



for panel thicknesses of 3 - 10 mm



Basic element type T

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 45 g

Stock item



for panel thicknesses of 10 - 16 mm

Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	00.002
Steel clamping screw / of 5 - 8 mm	00.102
Steel clamping screw / of 8 - 10 mm	00.202
Plastic clamping screw / of 3 - 5 mm	01.002
Plastic clamping screw / of 5 - 8 mm	01.102
Plastic clamping screw / of 8 - 10 mm	01.202
Steel clamping screw/ of 10 - 13 mm	00.302
Steel clamping screw/ of 13 - 16 mm	00.402
Plastic clamping screw / of 10 - 13 mm	01.302
Plastic clamping screw / of 13 - 16 mm	01.402



Irus - Products


90° connector

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 55 g

Stock item



for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
<i>Steel clamping screw / of 3 - 5 mm</i>	20.000
<i>Steel clamping screw / of 5 - 8 mm</i>	20.100
<i>Plastic clamping screw / of 3 - 5 mm</i>	21.000
<i>Plastic clamping screw / of 5 - 8 mm</i>	21.100

„Our tip“

Use our plastic clamping screws
for glass panels.



Irus - Products



Angle connector





Ready mounted, stepless adjustment (90° - 270°)

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 65 g

Stock item



for panel thicknesses of 3 - 10 mm

Angle connector




Ready mounted, stepless adjustment (90° - 270°)

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 185 g

Stock item



for panel thicknesses of 10 - 16 mm

Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	20.001
Steel clamping screw / of 5 - 8 mm	20.101
Steel clamping screw / of 8 - 10 mm	20.201
Plastic clamping screw / of 3 - 5 mm	21.001
Plastic clamping screw / of 5 - 8 mm	21.101
Plastic clamping screw / of 8 - 10 mm	21.201
Steel clamping screw / of 10 - 13 mm	20.301
Steel clamping screw / of 13 - 16 mm	20.401
Plastic clamping screw / of 10 - 13 mm	21.301
Plastic clamping screw / of 13 - 16 mm	21.401



Irus - Products



Hinge


Ready mounted, moveable (90° - 270°)

Material: Aluminium




Surface: silver coloured, anodized E6/EV1

Weight: 65 g

Stock item




for panel thicknesses of 3 - 10 mm




„Our tip“

Connect 2 panels to one another by fixing the connector in the middle of two panels.



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	20.002
Steel clamping screw / of 5 - 8 mm	20.102
Steel clamping screw / of 8 - 10 mm	20.202
Plastic clamping screw / of 3 - 5 mm	21.002
Plastic clamping screw / of 5 - 8 mm	21.102
Plastic clamping screw / of 8 - 10 mm	21.202



Irus - Products



Snap on connector for doors


Ready mounted, moveable (90° - 270°)

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 65 g

Stock item




for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	20.003
Steel clamping screw / of 5 - 8 mm	20.103
Plastic clamping screw / of 3 - 5 mm	21.003
Plastic clamping screw / of 5 - 8 mm	21.103


Whether glass, plastic, hard fibre,
PVC or wood panels!

They can all be connected.




Cross connector

Ready mounted
Material: Aluminium
Surface: silver coloured, anodized E6/EV1
Weight: 75 g
Stock item




for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	20.005
Steel clamping screw / of 5 - 8 mm	20.105
Plastic clamping screw / of 3 - 5 mm	21.005
Plastic clamping screw / of 5 - 8 mm	21.105

No drilling of panels
required.



Three way connector moveable


Ready mounted, stepless adjustment (120° - 180°)

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 65 g

Stock item




for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	20.006
Steel clamping screw / of 5 - 8 mm	20.106
Plastic clamping screw / of 3 - 5 mm	21.006
Plastic clamping screw / of 5 - 8 mm	21.106

„Our tip“

Use plastic clamping screws on one side for glass
and steel clamping screws on the other side
for other types of panels.



Irus - Products



Multifunction connector


Ready mounted, stepless adjustment (0° - 360°)

Material: Aluminium




Surface: silver coloured, anodized E6/EV1

Weight: 75 g

Stock item



for panel thicknesses of 3 - 10 mm



Multifunction connector

Ready mounted, stepless adjustment (0° - 360°)

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 285 g

Stock item



for panel thicknesses of 10 - 16 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	20.007
Steel clamping screw / of 5 - 8 mm	20.107
Steel clamping screw / of 8 - 10 mm	20.207
Plastic clamping screw / of 3 - 5 mm	21.007
Plastic clamping screw / of 5 - 8 mm	21.107
Plastic clamping screw / of 8 - 10 mm	21.207
Steel clamping screw / of 10 - 13 mm	20.307
Steel clamping screw / of 13 - 16 mm	20.407
Plastic clamping screw / of 10 - 13 mm	21.307
Plastic clamping screw / of 13 - 16 mm	21.407



Irus - Products



Three way connector fixed


Ready mounted

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 65 g

Stock item




for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	20.008
Steel clamping screw / of 5 - 8 mm	20.108
Plastic clamping screw / of 3 - 5 mm	21.008
Plastic clamping screw / of 5 - 8 mm	21.108

Your advantages with Irus products

- Long service life
- Extremely flexible
- Easy to handle
- Low transport weight and volume
- Versatile



Horizontal-vertical connector




Ready mounted

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 60 g

Stock item




for panel thicknesses of 3 - 8 mm

Clamping screw / for panel thicknesses	Item No.
<i>Steel clamping screw / of 3 - 5 mm</i>	20.010
<i>Steel clamping screw / of 5 - 8 mm</i>	20.110
<i>Plastic clamping screw / of 3 - 5 mm</i>	21.010
<i>Plastic clamping screw / of 5 - 8 mm</i>	21.110

„Our tip“

Irus-System has a solution even for exceptional connections.




Combi connector

Ready mounted
Material: Aluminium
Surface: silver coloured, anodized E6/EV1
Weight: 115 g
Stock item



for panel thicknesses of 10 - 16 mm




Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 10 - 13 mm	20.311
Steel clamping screw / of 13 - 16 mm	20.411
Plastic clamping screw / of 10 - 13 mm	21.311
Plastic clamping screw / of 13 - 16 mm	21.411

Combi connector

Ready mounted
Material: Aluminium
Surface: silver coloured, anodized E6/EV1
Weight: 115 g
Stock item



for panel thicknesses of 10 - 16 mm



Irus - Products



Special middle connector

Ready mounted




for attaching snap on frames, whiteboards,
cork boards or others

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 65 g

Stock item



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / von 5 - 8 mm	08.105
Steel clamping screw / von 5 - 8 mm	28.101

Special angle connector

Ready mounted, stepless adjustment (90° - 270°)

for attaching aluminium snap frames, whiteboard,



cork boards or others

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 65 g

Stock item



Irus - Products



Sign holder with visible screw connection


Ready mounted , incl. screws and dowel

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 25 g

Stock item



for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / von 3-5 mm	04.009
Steel clamping screw / von 5-8 mm	04.109
Plastic clamping screws von 3-5 mm	05.009
Plastic clamping screws von 5-8 m	05.109

Sign holder with visible screw connection specially for glass


Ready mounted , incl. screws and dowel

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 25 g

Stock item



for panel thicknesses of 3 - 8 mm



1. Stock Anmeldung
2. Stock Berufsberatung
3. Stock Verwaltung

Irus - Products



Sign holder with concealed screw connection


Ready mounted, incl. screws, cover cap, dowel and spacer only for panel thicknesses of 5-8mm

Material: Aluminium



Surface: silver coloured, anodized E6/EV1

Weight: 25 g

Stock item



for panel thicknesses of 3 - 8 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / von 3-5 mm	06.009
Steel clamping screw / von 5-8 mm	06.109
Plastic clamping screws von 3-5 mm	07.009
Plastic clamping screws von 5-8 m	07.109

Sign holder with concealed screw connection specially for glass


Ready mounted, incl. screws, cover cap, dowel and spacer for panel thicknesses of 5-8mm

Material: Aluminium



Surface: silver coloured anodized E6/EV1

Weight: 25 g

Stock item



for panel thicknesses of 3 - 8 mm





Irus - Products



Foot adjustable M 6 x 30 mm

Material: PP / steel
Surface: galvanized
Weight: 30 g
Stock item




for connector of 3 - 8 mm

Irus - Connector - Accessories

Item designation	Item No.
<i>Foot M 6 x 30</i>	<i>10.070</i>

Foot adjustable M 8 x 30 mm

Material: PP / steel
Surface: galvanized
Weight: 50 g
Stock item



for connector of 10 - 16 mm

Item designation	Item No.
<i>Foot M 8 x 30</i>	<i>10.370</i>

Irus - Products




Holder for cover pipe M 6 for 3 - 8 mm connector

Material: steel

Surface: galvanized

Weight: 35 g

Stock item



Item designation	Item No.
<i>Holder for cover pipe M 6</i>	<i>10.007</i>


Holder for cover pipe M 8 x 20 mm for 10 - 16 mm connector

Material: PP / steel


Surface: galvanized

Weight: 40 g

Stock item



Item designation	Item No.
<i>Holder for cover pipe M 8</i>	<i>10.307</i>



Irus - Products



Cover pipe round aluminium 12 mm for 3 - 10 mm connector


10.090 1.000 mm = 95 g

10.091 2.000 mm = 190 g

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Stock item



Item designation	Item No.
<i>Cover pipe round 1m</i>	<i>10.090</i>
<i>Cover pipe round 2 m</i>	<i>10.091</i>

Cover pipe round aluminium 25 mm for 10 - 16 mm connector


10.390 1.000 mm = 400 g

10.391 2.000 mm = 800 g

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Stock item



Item designation	Item No.
<i>Cover pipe round 1m</i>	<i>10.390</i>
<i>Cover pipe round 2 m</i>	<i>10.391</i>

Allen screwdriver

10.999 SW 5 for 3 -10 mm connector = 70 g

11.999 SW 6 for 10-16 mm connector = 110 g

Material: steel

Surface: galvanized

Stock item



Item designation	Item No.
<i>Allen screwdriver SW 5</i>	<i>10.999</i>
<i>Allen screwdriver SW 6</i>	<i>11.999</i>

Irus - Products



Cylinder head screw

Material: steel

Surface: galvanized


Stock item



Clamping screw

Surface: PA

Stock item




Clamping screw

Material: steel

Surface: galvanized

Stock item



Item designation	Item No.
<i>Cylinder head screw galvanized M 6 x 8</i>	<i>10.001</i>
<i>Cylinder head screw galvanized M 6 x 10</i>	<i>10.002</i>
<i>Cylinder head screw galvanized M 8 x 12</i>	<i>10.302</i>
<i>Clamping screw plastic M 10 x 6</i>	<i>10.004</i>
<i>Clamping screw plastic M 10 x 8</i>	<i>10.104</i>
<i>Clamping screw plastic M 12 x 8</i>	<i>10.404</i>
<i>Clamping screw plastic M 12 x 10</i>	<i>10.304</i>
<i>Clamping screw galvanized M 10 x 6</i>	<i>10.003</i>
<i>Clamping screw galvanized M 10 x 8</i>	<i>10.103</i>
<i>Clamping screw galvanized M 12 x 8</i>	<i>10.403</i>
<i>Clamping screw galvanized M 12 x 10</i>	<i>10.303</i>
<i>Pointed clamping screw galvanized M 10 x 8</i>	<i>10.005</i>

All connectors of max. 10mm can be combined with Flexi-Long!

Aluminium profile

Aluminium profile with double-sided thread M10

30.710 Pole profile 2.00 m (2.55 kg)

30.720 Pole profile 1.70 m (2.16 kg)



30.730 Pole profile 1.50 m (1.90 kg)

30.740 Pole profile 1.00 m (1.27 kg)


Surface: silver coloured, anodized E6/EV1

Stock item

Special lenghts on request!



Item designation	Item No.
<i>Pole Profile 2.00 m</i>	<i>30.710</i>
<i>Pole Profile 1.70 m</i>	<i>30.720</i>
<i>Pole Profile 1.50 m</i>	<i>30.730</i>
<i>Pole Profile 1.00 m</i>	<i>30.740</i>



Round base Ø 32 cm


Incl. flat mushroom head screw M 10 x 30

Material: steel

Surface: RAL 9006 powder-coated

Weight: 0.95 kg

Stock item



Item designation	Item No.
<i>Round base 0.95 kg</i>	<i>30.750</i>
<i>Round base 1.90 kg</i>	<i>30.751</i>

Round base Ø 32 cm




Incl. flat mushroom head screw M 10 x 30

Material: steel

Surface: RAL 9006 powder-coated

Weight: 1.90 kg

Stock item



Foot

Foot natural anodized 60 cm.



Alternatively for the round base Ø 32cm

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 280 g

Stock item



Item designation	Item No.
<i>Foot 60 cm</i>	<i>30.752</i>

Floor anchorage for concrete floors

Comprising pole profile 0.50 m, washer, threaded pin




M 10 x 70 mm

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 558 g

Stock item



Item designation	Item No.
<i>Floor anchorage</i>	<i>30.746</i>



Irus - Products



Profile extension

Incl. extension bolts, turned in the middle 45°

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Stock item



Choose your profile length.



Irus Flexi-Long - Accessories

Item designation	Item No.
<i>Profile extension 2 x (X) m</i>	30.744

Simple to assemble! Insert the bolt into the profile and push the next one over it.



Profile extension

Incl. extension bolts, screws plus processing surcharge for profile extension

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Stock item



Choose your profile length.

Item designation	Item No.
<i>Profile extension 2 x (X) m</i>	30.745



Irus - Products

Extension bolts


Ø 8.5 x 80 mm

Material: steel

Surface: bronzed

Weight: 55 g

Stock item



Item designation	Item No.
<i>Extension bolts Ø 8.5 x 80 mm</i>	30.747

Extension bolts

Ø 8.5 x 110 mm, turned in the middle 45°

Material: steel

Surface: bronzed

Weight: 60 g

Stock item



Item designation	Item No.
<i>Extension bolts Ø 8.5 x 110 mm</i>	30.748


Conical cover

Material: wooden cone

Surface: painted silver

Weight: 40 g

Stock item



Item designation	Item No.
<i>Conical cover</i>	30.760

Irus - Products





Foot adjustable M 10 x 30

Material: PP / steel

Surface: galvanized

Weight: 60 g

Stock item



Item designation	Item No.
<i>Foot M 10 x 30</i>	<i>30.770</i>

Flat mushroom screw for round base M 10 x 30

Material: steel

Surface: black

Weight: 45 g

Stock item



Item designation	Item No.
<i>Flat mushroom screw M 10 x 30</i>	<i>30.780</i>

Washer between profile and round base Ø 40 mm

Material: steel

Surface: galvanized

Weight: 30 g

Stock item




Item designation	Item No.
<i>Washer Ø 40 mm</i>	<i>30.790</i>

Irus - Applications

Information panels




- Versatile
- Simple to mount
- Stepless adjustment





... we are your partner!

Irus - Applications



e.g. with middle connector
or the angle connector.



... flexibility of use

Irus - Applications

Partitions walls



For use with combi connectors
for panels with max.16mm thickness.





Irus - Applications



Presentation uprights;
Cork boards & whiteboards




For use with our special middle
and angle connector.





Multifunction connector 10 - 16 mm




Angle connector 10 - 16 mm





Irus - Applications



Irus - Glass constructions



Angle connector 10 - 16 mm



90° connector 3 - 8 mm




Irus - Applications


Applications with the
Irus connector 3 - 10 mm



Irus - Displays



Angle connector 3 - 10 mm



Middle connector 3 - 10 mm

Flexi-Quick - Products



Flexi-Snap



Fitting for fixing the Flexi-Dock cross profile.

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 35 g

Stock item



Item designation	Item No.
Flexi-Snap	40.000
Flexi-Dock	40.001

Flexi-Dock



Cross profile 920 mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 890 g

Stock item



Flexi-Quick - Products



Flexi-Quick


Ready mounted with clamping screws, 1x **Flexi-Dock** and 2x **Flexi-Snap**, 986 mm

Material: aluminium


Surface: silver coloured, anodized E6/EV1

Weight: 960 g

Stock item



Item designation	Item No.
<i>Flexi-Quick</i>	40.002
<i>Extension bolts 8.5 x 110 mm</i>	30.748



Extension bolts

Ø 8.5 x 110 mm, turned in the middle 45°

Material: steel

Surface: bronzed

Weight: 60 g

Stock item



Flexi-Quick - Products

Exhibition stand for self-construction



Flexi-Long

Pole profile with one-sided thread M10 and 8 holes on the threaded side




Material: aluminium

Surface: silver coloured, anodized E6/EV1

40.003 Pole profile 1.25 m (1.70 kg)

40.004 Pole profile 1.00 m (1.30 kg)

Stock item



Item designation	Item No.
<i>Pole profile 1.25 m</i>	<i>40.003</i>
<i>Pole profile 1.0 m</i>	<i>40.004</i>
<i>Pole profile 0.3 m</i>	<i>40.005</i>

Flexi-Long


Aluminium profile for fascia sign frame each with 4 holes on both sides

Material: aluminium

Surface: silver coloured, anodized E6/EV1

40.005 Pole profile 0.3 m (0.35 kg)

Stock item



Flexi-Quick - Products

Ceiling construction



Flexi-Point




Connection point for ceiling construction

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 39 g

Stock item



Item designation	Item No.
<i>Flexi-Point</i>	40.006
<i>Flexi-Quick fascia sign frame/ceiling construction</i>	40.007

Flexi-Quick fascia sign frame/ceiling construction

Ready mounted with pointed screws, 1x **Flexi-Dock** and




2x **Flexi-Snap**, 986mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 960 g

Stock item



Stanchion comprising two parts for ceiling construction

2x **Flexi-Long**, 1x 1250mm, 1x 1217mm,





incl. adjustable feet

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 3.2 kg


Stock item



Item designation	Item No.
<i>stanchion comprising two parts for ceiling construction</i>	40.008




Examples of use for the ceiling constructions.



Exhibition stand ceiling construction consisting of:

- 12x Flexi-Quick ceiling construction
- 4x Flexi-Point
- 1x Stanchion for ceiling construction





Exhibition stand ceiling construction consisting of:

- 4x Flexi-Quick ceiling construction
- 2x Flexi-Point





**Important information on
how to assemble the
exhibition stands.**

The 1250 mm profiles of all exhibition stands have 8 holes each at the top and bottom. The pointed screws are used for the cross profiles to stabilize the exhibition stand.



Holes on the profiles




Holes on the profiles

Flexi-Quick - accessories




Foot adjustable M 10 x 30

Material: PP / steel
Surface: galvanized
Weight: 60 g
Stock item



Round base Ø 32 cm



Incl. flat mushroom head screw M 10 x 30
Material: steel
Surface: RAL 9006 powder-coated
Weight: 0.95 kg
Stock item



Item designation	Item No.
<i>Foot M 10 x 30</i>	<i>30.770</i>
<i>Round base 0.95 kg</i>	<i>30.750</i>
<i>Alu H-profile 1217mm</i>	<i>40.009</i>
<i>Alu H-profile 1200mm</i>	<i>40.010</i>

Aluminium H-profile

1217mm or 1200mm to stabilize the panels.
1217mm suitable for panel sizes 952x2446x5 mm
1200mm suitable for panel sizes 952x1212x5 mm
Material: aluminium
Surface: silver coloured, anodized E6/EV1
Weight: 0.05 kg
Stock item



Flexi-Quick - accessories



Allen screwdriver


10.999 SW 5

11.999 SW 6

Material: steel

Surface: galvanized

Stock item



Folding carton with handle

Inner dimensions: 1250x265x90mm

for max. 24 kg content


Stock item



Longarm spotlight 450 mm

incl. bulbs 120W Cantilever arm chrome-plated,
spotlight head rotatable approx. 355 °
and 90 ° swiveling, aluminum housing, powder coated /
galvanized, with wide-angle aluminum reflector

Stock item



Bulb

120W / R7s

Stock item

Item designation	Item No.
<i>Allen screwdriver SW 5</i>	<i>10.999</i>
<i>Allen screwdriver SW 6</i>	<i>11.999</i>
<i>Folding carton</i>	<i>70.212</i>
<i>Longarm spotlight</i>	<i>70.210</i>
<i>replacement bulb</i>	<i>70.211</i>

Flexi-Quick - accessories



Carrying, protective bag for PVC rigid foam panels
circumferential zipper, interior upholstered with reinforced corners

70.034 Outside dimensions: H 1290 x W 1030 x D 80 mm
suitable for panel sizes 1212x955mm

Stock item




Clamping screw M 10x6

50 pce. per unit

Material: steel

Surface: galvanized

Stock item




Pointed clamping screw 120° M 10x8

50 pce. per unit

Material: steel

Surface: galvanized

Stock item



Item designation	Item No.
<i>Carrying, protective bag for PVC rigid foam panels</i>	<i>70.034</i>
<i>Clamping screw galvanized 10x6</i>	<i>10.003</i>
<i>Pointed clamping screw galvanized M 10x8</i>	<i>10.010</i>
<i>Cylinder head screw galvanized M 6x18</i>	<i>10.008</i>

Cylinder head screw M 6x18

50 pce. per unit

Material: steel

Surface: galvanized

Stock item




Flexi-Quick - Products




Basic module Z100

Aluminum frame construction - modular
incl. aluminum H-profiles 1200mm and adjustable feet.
Suitable for panel sizes 2x 952 x 1212 x 5mm
Material: aluminium
Surface: silver coloured anodized E6 / EV1
Weight: 9.6 kg
Stock item




Free choice of panels!



Item designation	Item No.
<i>Basic module Z100</i>	<i>40.100</i>
<i>Basic module Z101</i>	<i>40.101</i>

Basic module Z101

Aluminum frame construction - modular
incl. aluminum H-profiles 1200mm, PVC rigid foam
panels and adjustable feet.
Panel size: (2x 952 x 1212 x 5mm)
Material: aluminium
Surface: silver coloured, anodized E6/EV1
Weight: 19.6 kg
Stock item




Flexi-Quick - Products




Basic module Z102

Aluminum frame construction - modular
incl. aluminum H-profiles 1217mm and adjustable feet.
Suitable for panel sizes 1x 952 x 2446 x 5mm
Material: aluminium
Surface: silver coloured, anodized E6/EV1
Weight: 8.7 kg
Stock item




Free choice of panels!



Item designation	Item No.
Basic module Z102	40.102
Basic module Z103	40.103

Basic module Z103

Aluminum frame construction - modular
incl. aluminum H-profiles 1217mm, PVC rigid foam
panels and adjustable feet.
Panel size (1x 952 x 2446 x 5mm),
.Material: aluminium
Surface: silver coloured, anodized E6/EV1
Weight: 19.2 kg
Stock item





The H-profiles have a length of 1217mm or 1200mm.



Easy to handle and transport



The H-profiles serve to stabilize the panel



After inserting the panel, push the aluminium profile on the right and left side from top to bottom. The H-profiles serve to stabilize the panel



Flexi-Quick - Products



Extension module 180° Z104

Aluminum frame construction - modular
incl. aluminum H-profiles 1200mm and adjustable feet.



Suitable for panel sizes 2x W 952 x H 1212 x 5mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 6.3 kg

Stock item



Item designation	Item No.
<i>Extension module Z104</i>	<i>40.104</i>
<i>Extension module Z105</i>	<i>40.105</i>

Extension module 180° Z105


Aluminum frame construction - modular
including aluminium H-profiles 1200mm and
adjustable feet Panel size 2xW 952 x H 1212 x 5mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 16.3 kg

Stock item



Extension module 180° Z106

Aluminum frame construction - modular including aluminum H-profiles 1217mm and adjustable feet.


Suitable for panel sizes 1x W 952 x H 2446 x 5mm

Material: aluminium


Surface: silver coloured, anodized E6/EV1

Weight: 5.3 kg

Stock item



Free choice of panels!



Item designation	Item No.
<i>Extension module Z106</i>	<i>40.106</i>
<i>Extension module Z107</i>	<i>40.107</i>

Extension module 180° Z107



Aluminum frame construction - modular including aluminium H-profiles 1217mm, PVC rigid foam panels and adjustable feet Panel sizes (1x W 952 x H 2446 x 5mm)

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 15.7 kg

Stock item





For all basic and attachment modules and exhibition stands we place importance on easy transportation

So easy with the Irus profile extension!


Push the aluminium profile onto the extension bolt. It's as simple as that.



As the bolt is turned in the middle, it cannot slip through the profile.



General construction



Flexi-Quick - Products



Fascia sign frame – basic and attachment module **Z108**


Aluminum frame construction with pointed screws suitable for panel sizes 1x W 955 x H 246 x 5mm

Material: aluminium


Surface: silver coloured, anodized E6/EV1

Weight: 2.6 kg

Stock item



Free choice of panels!



Item designation	Item No.
Fascia sign frame – basic and attachment module Z108	40.108
Fascia sign frame – basic and attachment module Z109	40.109

Fascia sign frame – basic and attachment module **Z109**



Aluminum frame construction with pointed screws incl. PVC rigid foam panels (1x W 955 x H 246 x 5mm)

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 4.7 kg

Stock item



Flexi-Quick - Products



Stanchion - modular for fascia sign frame




2x Flexi-Long à 1100mm, incl. adjustable feet

Material: aluminium


Surface: silver coloured, anodized E6/EV1

Weight: 2.55 kg


Stock item



Item designation	Item No.
Stanchion	40.110



The Stanchion can be attached at to any position on the fascia sign frame



Flexi-Quick - Products



Kabine Z110

Aluminum frame construction - modular
incl. aluminum H-profiles 1200mm and adjustable feet.



Suitable for panel sizes 4x W 952 x H 1212 x 5mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 13.1 kg

Stock item



Free choice of panels!

Item designation	Item No.
<i>Kabine Z110</i>	<i>40.111</i>
<i>Kabine Z111</i>	<i>40.112</i>

Kabine Z111



Aluminum frame construction - modular
including aluminium H-profiles 1200mm, PVC rigid foam pa-
nels and adjustable feet Panel size: 4x W 952 x H 1212 x 5mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 33.1 kg

Stock item



Kabine Z112

Aluminum frame construction - modular
incl. aluminum H-profiles 1217mm and incl. adjustable feet.



Suitable for panel sizes 2x W 952 x H 2446 x 5mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 11.2 kg

Stock item



Item designation	Item No.
<i>Kabine Z112</i>	<i>40.113</i>
<i>Kabine Z113</i>	<i>40.114</i>

Free choice of panels!

Kabine Z113



Aluminum frame construction - modular
incl. aluminum H-profiles 1217mm, PVC rigid foam panels,
and adjustable feet. Panel size: 2x W 952 x H 2446 x 5mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 32 kg


Stock item




Construction possibilities for an exhibition stand





1





2






When installing the fascia sign frame of the exhibition stand, the profiles must be additionally drilled.


4




Application examples for self-construction.



Ill incl. ceiling construction
and fascia sign frame



Ill incl. ceiling construction
and fascia sign frame



Equip your exhibition stand with Irus connectors and displays.



Horizontal vertical - connector




Ready mounted

Material: Aluminium


Surface: silver coloured, anodized E6/EV1

Weight: 60 g

Stock item




For panel thicknesses of 3- 10 mm




Horizontal-vertical connector is also suitable as a shelf bracket.

Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / von 3 - 5 mm	20.010
Steel clamping screw / von 5 - 8 mm	20.110
Plastic clamping screw/ 3 - 5 mm	21.010
Plastic clamping screw / 5 - 8 mm	21.110



„Our Tip“

Irus-System has a solution even for exceptional connections.




Middle connector 180°

Material: aluminium




Surface: silver coloured, anodized E6/EV1

Weight: 65 g


Stock item



for panel thicknesses of 3 - 10 mm



Clamping screw / for panel thicknesses	Item No.
Steel clamping screw / of 3 - 5 mm	00.005
Steel clamping screw / of 5 - 8 mm	00.105
Steel clamping screw / of 8 - 10 mm	00.205
Plastic clamping screw / of 3 - 5 mm	01.005
Plastic clamping screw / of 5 - 8 mm	01.105
Plastic clamping screw / of 8 - 10 mm	01.205



Info stand „Flexible I“


Incl. 2 movable aluminum snap frames Rondo

DINA4 and brochure holder DINA4

Total height: 2.0 m

Weight: 7 kg

Delivery time: 5 working days



Item designation	Item No.
<i>Info stand „Flexible I“</i>	<i>61.020</i>


Info stand „Flexible II“

Incl. 3 brochure holders DINA4

Total height: 2.0 m

Weight: 6 kg

Delivery time: 5 working days



Item designation	Item No.
<i>Info stand „Flexible II“</i>	<i>61.022</i>

Custom-made products on request!


Moveable aluminium snap frame Rondo

Incl. attachment for aluminium profile

70.018 DIN A4 Weight: 1 kg

70.019 DIN A3 Weight: 1.5 kg

Delivery time: 5 working days





Rigid aluminum snap frame Rondo

Incl. attachment for aluminium profile

70.020 DIN A4 Weight: 1 kg

70.021 DIN A3 Weight: 1.5 kg

Delivery time: 5 working days



Brochure holder

Incl. attachment for aluminium profile

70.017 DIN A4

Weight: 0.5 kg

Delivery time: 5 working days



Item designation	Item No.
Moveable aluminium snap frame Rondo DIN A4	70.018
Moveable aluminium snap frame Rondo DIN A3	70.019
Rigid aluminium snap frame Rondo DIN A4	70.020
Rigid aluminium snap frame Rondo DIN A3	70.021
Brochure holder DIN A4	70.017



Presentation uprights



Presentation upright for single-sided use


„Basic module“

Aluminum construction incl. round base à 0.95 kg,
and 1x aluminum snap frame Rondo

61.140 DINA1 (W 594 x H 841 mm) Weight: 9.2 kg

61.143 DINA0 (W 841 x H 1189 mm) Weight: 9.8 kg

Delivery time: 5 working days



Item designation	Item No.
<i>Basic module DINA1</i>	<i>61.140</i>
<i>Basic module DINA0</i>	<i>61.143</i>
<i>Attachment module DINA1</i>	<i>61.141</i>
<i>Attachment module DINA0</i>	<i>61.144</i>

Presentation upright for single-sided use


„Attachment module 180°“

Aluminum construction incl. round base à 0.95 kg,
and 1x aluminum snap frame Rondo

61.141 DINA1 (W 594 x H 841 mm) Weight: 6.7 kg

61.144 DINA0 (W 841 x H 1189 mm) Weight: 7.3 kg

Delivery time: 5 working days



Presentation upright for single-sided use


Attachment module 90°-270°

Aluminium construction incl. round base à 0.95 kg,
and 1x aluminum snap frame Rondo

61.142 DINA1 (W 594 x H 841 mm) Weight: 6.7 kg

61.145 DINA0 (W 841 x H 1189 mm) Weight: 7.3 kg

Delivery time: 5 working days




Item designation	Item No.
Attachment module DINA1	61.142
Attachment module DINA0	61.145



With compatible connection to the **Flexi-Long** profile,
whether rigid or moveable.

Our special connectors allow the connection to the **Flexi-Long**




Information panels



Information panels „Basic module I“


Aluminum construction incl. round base à 0.95 kg
and 1x PVC rigid foam panels 990 x 990 mm
Overall dimensions: W 1116 x H 2050 mm
Weight: 12.80 kg
Delivery time: 5 working days without digital printing



Item designation	Item No.
Information panels „Basic module“	61.400
Information panels „Attachement module 180°“	61.403

Information panels „Attachement module 180°“

Aluminum construction incl. Round Base à 0.95 kg
and 1x PVC rigid foam panels 990x990mm
Overall dimensions: W 1088 x H 2050 mm
Weight: 9.30 kg
Delivery time: 5 working days without digital printing



Information panels „Attachment module 90°-270°“


Aluminum construction incl. Round Base à 0.95 kg

and 1x PVC rigid foam panels 990x990mm

Overall dimensions: W 1088 x H 2050 mm

Weight: 9.30 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
<i>Information panels „Attachement module 90°-270°“</i>	61.406
<i>Information stand „Quattro“</i>	61.421

Information stands „Quattro“


Aluminum construction incl.adjustable feet.

and 4x PVC rigid foam panels 990x990mm

Overall dimensions: W 2189 x H 2050 mm



Weight: 36 kg

Delivery time: 5 working days without digital printing



Applications

Presentation uprights & Information panels



Advertising cube







Advertising cube

Aluminum frame construction for hanging, incl.
4x ring screws, including panels, without lighting

- 40.121 H x W x D: ca. 500 x 1041 x 1041 mm Weight: 18.3 kg
 - 40.122 H x W x D: ca. 750 x 1041 x 1041 mm Weight: 23.9 kg
 - 40.123 H x W x D: ca. 1000 x 1041 x 1041 mm Weight: 29.7 kg
- with customer`s motifs

Delivery time: 7 working days without digital printing



Special dimensions on request!

Item designation	Item No.
Advertising cube	40.121
Advertising cube	40.122
Advertising cube	40.123



Advertising cube

Aluminum frame construction for hanging, incl.
4x ring screws, without lighting, without panels

40.124 H x W x D: ca. 500 x 1041 x 1041 mm

Suitable for panel sizes 4x 952x446x5 mm

Weight: 10.5 kg

40.125 H x W x D: ca. 750 x 1041 x 1041 mm

Suitable for panel sizes 4x 952x696x5 mm


Weight: 11.7 kg

40.126 H x W x D: ca. 1000 x 1041 x 1041 mm


Suitable for panel sizes 4x 952x946x5 mm

Weight: 13.0 kg


Stock item




Free choice of panels!



40.124



40.125



40.126

Special dimensions on request!

Item designation	Item No.
<i>Advertising cube</i>	<i>40.124</i>
<i>Advertising cube</i>	<i>40.125</i>
<i>Advertising cube</i>	<i>40.126</i>

Exhibition tower



Exhibition tower


Aluminum frame construction incl. panels,
without lighting

40.127 H x W x D: ca. 2000 x 1041 x 1041 mm Weight: 59.0 kg

40.128 H x W x D: ca. 2500 x 1041 x 1041 mm Weight: 70.5 kg



with customer`s motives

Delivery time: 7 working days without digital printing



Item designation	Item No.
<i>Exhibition tower</i>	<i>40.127</i>
<i>Exhibition tower</i>	<i>40.128</i>

Special dimensions on request!




Exhibition tower

Aluminum frame construction without lighting,
without panels

40.129 H x W x D: ca. 2000 x 1041 x 1041 mm
Suitable for panel sizes 4x 952x634x5 mm
Weight: 25.5 kg




40.130 H x W x D: ca. 2500 x 1041 x 1041 mm
Suitable for panel sizes 4x 952x801x5 mm
Weight: 28.2 kg

Delivery time: 5 working days



Free choice of panels!

Item designation	Item No.
<i>Exhibition tower</i>	<i>40.129</i>
<i>Exhibition tower</i>	<i>40.130</i>



Flexi-Quick - Products



Exhibition stand I100 „Irus-Quick 3x1m“


Aluminum frame construction - modular incl. aluminum H-profiles 1200mm, adjustable feet. and 3x longarm spotlight incl. bulb.

Suitable for panel sizes 10x W 952 x H 1212 x 5 mm

W 3000 x H 2500 x D 1040 mm

Weight: 33.6 kg

Delivery time: 5 working days



Free choice of panels!


Item designation	Item No.
Exhibition stand I100	40.300
Exhibition stand with panels I101	40.301

Exhibition stand I101 „Irus-Quick 3x1m“


Aluminum frame construction - modular with panels (10x W 952 x H 1212 x 5mm), incl. aluminum H-profiles, 1200mm adjustable feet. and 3x longarm spotlight incl. bulb. W 3000 x H 2500 x D 1040 mm

Weight: 87 kg

Delivery time: 5 working days without digital printing



Ill. With panels (PVC rigid foam panel 5mm)



All types of panels can be used with a maximum panel thickness of 6mm.

Rigid foam, wood, metal and composite panels can be used.

Exhibition stand I102 „Irus-Quick 3x1m“


Aluminum frame construction - modular incl. aluminum H-profiles 1200mm, adjustable feet, 1x fascia sign frame and 3x longarm spotlight incl. bulb.

Suitable for panel sizes 10x W 952 x H 1212 x 5mm,
3x W 952 x H 246 x 5mm

W 3037 x H 2500 x D 1040 mm

Weight: 42.5 kg

Delivery time: 5 working days



Free choice of panels!

Item designation	Item No.
<i>Exhibition stand I102</i>	40.302
<i>Exhibition stand with panels I103</i>	40.303


Exhibition stand I103 „Irus-Quick 3x1m“

Aluminum frame construction - modular with panels (10x W 952 x H 1212 x 5mm), incl. aluminum H-profiles 1200mm, adjustable feet, 1x fascia sign frame including panels (3x W 952 x H 246 x 5mm) and 3x longarm spotlight incl. bulb.


W 3037 x H 2500 x D 1040 mm

Weight: 97.6 kg

Delivery time: 5 working days without digital printing



III. With panels (PVC rigid foam panel 5mm)




Exhibition stand I104 „Irus-Quick 3x1m“

Aluminum frame construction - modular incl. aluminum H-profiles 1217mm, adjustable feet and 3x longarm spotlight incl. bulb.

Suitable for panel sizes 5x W 952 x H 2446 x 5mm,
W 3037 x H 2500 x D 1040 mm

Weight: 28.8 kg

Delivery time: 5 working days



Free choice of panels!


Item designation	Item No.
<i>Exhibition stand I104</i>	40.304
<i>Exhibition stand with panels I105</i>	40.305

Exhibition stand I105 „Irus-Quick 3x1m“


Aluminum frame construction - modular with panels (5x W 952 x H 2446 x 5mm), incl. aluminum H-profiles 1217mm, adjustable feet and 3x longarm spotlight incl. bulb.
W 3037 x H 2500 x D 1040 mm

Weight: 82.5 kg

Delivery time: 5 working days without digital printing



III. With panels (PVC rigid foam panel 5mm)



Exhibition stand I106 „Irus-Quick 3x1m“


Aluminum frame construction - modular incl. aluminum H-profiles 1217mm, adjustable feet, 1x fascia sign frame and 3x longarm spotlight incl. bulb.

Suitable for panel sizes 5x W 952 x H 2446 x 5mm,
3x W 955 x H 246 x 5mm

W 3037 x H 2500 x D 1040 mm

Weight: 36 kg

Delivery time: 5 working days



Free choice of panels!

Item designation	Item No.
<i>Exhibition stand I106</i>	40.306
<i>Exhibition stand with panels I107</i>	40.307


Exhibition stand I107 „Irus-Quick 3x1m“

Aluminum frame construction - modular with panels (5x W 955 x H 2446 x 5mm), incl. aluminum H-profiles 1217mm, adjustable feet, 1x fascia sign frame including panels (3x W 952 x H 246 x 5mm) and 3x longarm spotlight incl. bulb.


W 3037 x H 2500 x D 1040 mm

Weight: 36.8

Delivery time: 5 working days without digital printing



III. With panels (PVC rigid foam panel 5mm)




Exhibition stand I108 „Irus-Quick 3x2m“

Aluminum frame construction - modular incl. aluminum H-profiles 1200mm, adjustable feet. and 3x longarm spotlight incl. bulb.

Suitable for panel sizes 14x W 952 x H 1212 x 5mm,
W 3037 x H 2500 x D 2039 mm

Weight: 46 kg

Delivery time: 5 working days



Free choice of panels!


Item designation	Item No.
<i>Exhibition stand I108</i>	40.308
<i>Exhibition stand with panels I109</i>	40.309

Exhibition stand I109 „Irus-Quick 3x2m“


Aluminum frame construction - modular with panels (14x W 952 x H 1212 x 5mm), incl. aluminum H-profiles 1200mm, adjustable feet and 3x longarm spotlight incl. bulb.
W 3037 x H 2500 x D 2039 mm

Weight: 110 kg

Delivery time: 5 working days without digital printing



Ill. With panels (PVC rigid foam panel 5mm)



Exhibition stand I110 „Irus-Quick 3x2m“

Aluminum frame construction - modular incl. aluminum H-profiles 1200mm, adjustable feet, 1x fascia sign frame and 3x Longarm lighting incl. bulb.


Suitable for panel sizes 14x W 952 x H 1212 x 5mm,

3x W 955 x H 246 x 5mm

W 3037 x H 2500 x D 2039 mm

Weight: 53.5 kg

Delivery time: 5 working days



Free choice of panels!

Item designation	Item No.
Exhibition stand I110	40.310
Exhibition stand with panels I111	40.311


Exhibition stand I111 „Irus-Quick 3x2m“

Aluminum frame construction - modular with panels (14x W 952 x H 1212 x 5 mm), incl. aluminum H-profiles 1200mm, adjustable feet, 1x fascia sign frame including panels (3x W 955 x H 246 x 5mm) and 3x longarm spotlight incl. bulb.


W 3037 x H 2500 x D 2039 mm

Weight: 123 kg

Delivery time: 5 working days without digital printing



Ill. With panels (PVC rigid foam panel 5mm)




Exhibition stand I112 „Irus-Quick 3x2m“

Aluminum frame construction - modular incl. aluminum H-profiles 1217mm, adjustable feet and 3x longarm spotlight incl. bulb.

Suitable for panel sizes 7x W 952 x H 2446 x 5mm,
W 3037 x H 2500 x D 2039 mm

Weight: 40 kg

Delivery time: 5 working days



Free choice of panels!


Item designation	Item No.
<i>Exhibition stand I112</i>	<i>40.312</i>
<i>Exhibition stand with panels I113</i>	<i>40.313</i>

Exhibition stand I113 „Irus-Quick 3x2m“


Aluminum frame construction - modular with panels (7x W 952 x H 2446 x 5mm), incl. aluminum H-profiles 1217mm, adjustable feet and 3x longarm spotlight incl. bulb.
W 3037 x H 2500 x D 2039 mm

Weight: 105 kg

Delivery time: 5 working days without digital printing



Ill. With panels (PVC rigid foam panel 5mm)



Exhibition stand I114 „Irus-Quick 3x2m“

Aluminum frame construction - modular incl. aluminum H-profiles 1217mm, adjustable feet, 1x fascia sign frame and 3x longarm spotlight incl. bulb.


Suitable for panel sizes 7x W 952 x H 2446 x 5mm,

3x W 955 x H 246 x 5mm

W 3037 x H 2500 x D 2039 mm

Weight: 48 kg

Delivery time: 5 working days



Free choice of panels!


Exhibition stand I115 „Irus-Quick 3x2m“

Aluminum frame construction - modular with panels (7x W 952 x H 2446 x 5mm), incl. aluminum H-profiles 1217mm, adjustable feet, 1x fascia sign frame including panels (3x W 955 x H 246 x 5mm) and 3x longarm spotlight incl. bulb.

W 3037 x H 2500 x D 2039 mm


Weight: 113 kg

Delivery time: 5 working days without digital printing



III. With panels (PVC rigid foam panel 5mm)

Item designation	Item No.
<i>Exhibition stand I114</i>	40.314
<i>Exhibition stand with panels I115</i>	40.315



Exhibition stand I120 „Irus-Quick 2x2m“

Aluminum frame construction - modular incl. aluminum H-profiles 1200mm, adjustable feet, 1x fascia sign frame and 3x longarm spotlight incl. bulb.


Suitable for panel sizes 8x W 952 x H 1212 x 5mm,

4x W 955 x H 246 x 5mm

W 2039 x H 2500 x D 2039 mm

Weight: 42 kg

Delivery time: 5 working days





Item designation	Item No.
<i>Exhibition stand I120</i>	40.320
<i>Exhibition stand with panels I121</i>	40.321

Exhibition stand I121„Irus-Quick 2x2m“

Aluminum frame construction - modular with panels (8x W 952 x H 1212 x 5mm), incl. aluminum H-profiles 1200mm, adjustable feet, 1x fascia sign frame including panels (4x W 955 x H 246 x 5mm), and 3x longarm spotlight incl. bulb. W 2039 x H 2500 x D 2039 mm


Weight: 90 kg

Delivery time: 5 working days without digital printing



Exhibition stand I122 „Irus-Quick 2x2m“

Aluminium frame construction – modular including aluminium H-profiles 1217mm, adjustable feet, 1 x fascia sign frame and 3 x longarm spotlight including bulb
Suitable for panel sizes 4x W 952 x H 2446 x 5mm, 4x B 955 x H 246 x 5mm
W 2039 x H 2500 x D 2039 mm
Weight: 37 kg
Delivery time: 5 working days




Free choice of panels!


Item designation	Item No.
<i>Exhibition stand I122</i>	40.322
<i>Exhibition stand with panels I123</i>	40.323

Exhibition stand I123 „Irus-Quick 2x2m“

Aluminium frame construction – modular with panels (4x W 952 x H 2446 x 5mm) including aluminium H-profiles 1217mm, adjustable feet, 1 x fascia sign frame including panels (4x W 955 x H 246 x 5mm) and 3x longarm spotlight including bulb.
W 2039 x H 2500 x D 2039 mm
Weight: 82 kg
Delivery time: 5 working days without digital printing




Ill. With panels (PVC rigid foam panel 5mm)




Exhibition stands with fabric sheets



Through the Velcro closure can be it easy, convenient and quick to attach or replace a Advertising space.



Attach or replace!
Easy and quick without any tools.



Basic module 180° Z114

Aluminum frame construction - modular
incl. adjustable feet and 1x wall with fabric sheet.



W 980 x H 2500mm incl. digital print or without.

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 11.0 kg

Stock item



Item designation	Item No.
Z114	41.101
Z115	41.105

Extension module 180° Z115

Aluminum frame construction - modular
incl. adjustable feet and 1x wall with fabric sheet.


W 980 x H 2500mm incl. digital print or without.

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 11.0 kg

Stock item



Fascia sign frame – basic and attachment module **Z116**



Aluminum frame construction with pointed screws
and 1x fabric sheet W 980 x H 300mm
incl. digital print or without.

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 4.7 kg

Stock item



Kabine **Z117**



Aluminum frame construction - modular
incl. adjustable feet and 2x wall with fabric sheet
W 980 x H 2500mm incl. digital print or without.

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 33.1 kg

Stock item



Item designation	Item No.
Z116	41.109
Z117	41.112



Exhibition stand I124,,Irus-Quick 1x3m“

Aluminum frame construction - modular incl.adjustable feet,
5x fabric sheet W 980 x H 2500mm incl. digital print or
without and 3x longarm spotlight incl. bulb.

W 3037 x H 2500 x D 1040 mm

Weight: 36 kg

Delivery time: 5 working days





Exhibition stand I125 „Irus-Quick 1x3m“

Aluminum frame construction - modular incl. adjustable feet,
5x fabric sheet W 980 x H 2500mm, 1x fascia sign frame
with fabric sheet (3x W 980 x H 300) incl. digital print or
without and 3x longarm spotlight incl. bulb.

W 3037 x H 2500 x D 1040 mm

Weight: 36.8

Delivery time: 5 working days without digital printing



Item designation	Item No.
I124	41.301
I125	41.303



Exhibition stand I126 „Irus-Quick 2x3m“

Aluminum frame construction - modular incl. adjustable feet,
5x fabric sheet W 980 x H 2500mm incl. digital print or
without and 3x longarm spotlight incl. bulb.

W 3037 x H 2500 x D 1040 mm

Weight: 36.8

Delivery time: 5 working days without digital printing





Exhibition stand I127 „Irus-Quick 2x3m“

Aluminum frame construction - modular incl. adjustable feet,
5x fabric sheet W 980 x H 2500mm , 1x fascia sign frame
with fabric sheet (3x W 980 x H 300) incl. digital print or
without and 3x longarm spotlight incl. bulb.

W 3037 x H 2500 x D 1040 mm

Weight: 36.8

Delivery time: 5 working days without digital printing



Item designation	Item No.
I126	41.309
I127	41.311


Exhibition stand I128 „Irus-Quick 2x2m“

Aluminum frame construction - modular incl. adjustable feet,
5x fabric sheet W 980 x H 2500mm, 1x fascia sign frame
with fabric sheet (4x W 980 x H 300) incl. digital print or
without and 3x longarm spotlight incl. bulb.


W 3037 x H 2500 x D 1040 mm

Weight: 36.8

Delivery time: 5 working days without digital printing



Item designation	Item No.
I128	41.321



Advertising cube


Aluminum frame construction for hanging, incl.
4x ring screws, 4x fabric sheet incl. digital print or without,
without lighting

41.121 H x W x D: ca. 500 x 1041 x 1041 mm Weight: 18.3 kg




41.122 H x W x D: ca. 750 x 1041 x 1041 mm Weight: 23.9 kg

41.123 H x W x D: ca. 1000 x 1041 x 1041 mm Weight: 29.7 kg
with customer's motifs

Delivery time: 7 working days without digital printing



Item designation	Item No.
Advertising cube	41.121
Advertising cube	41.122
Advertising cube	41.123




Exhibition tower

Aluminum frame construction incl.
4x fabric sheet incl. digital print or without,
without lighting



41.127 H x W x D: ca. 2000 x 1041 x 1041 mm Weight: 59.0 kg

41.128 H x W x D: ca. 2500 x 1041 x 1041 mm Weight: 70.5 kg
with customer`s motives

Delivery time: 7 working days without digital printing



Item designation	Item No.
<i>Exhibition tower</i>	<i>41.127</i>
<i>Exhibition tower</i>	<i>41.128</i>



Versatile!

ius
System[®]
exhibition





irus System

Kirchstraße 15

D-78176 Blumberg


Tel. +49 7702 / 3685

Fax +49 7702 / 9045

info@irus-system.com

www.irus-system.com

www.irus-displays.com



Subject to technical changes