


Information and presentation panels



Information panels „Basic module I“



Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 990 x 990 mm

Overall dimensions: W 1116 x H 2050 mm

Weight: 12.80 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
Basic module I	61.400
Basic module II	61.401
Basic module III	61.402

Information panels „Basic module II“



Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 1200x990mm

Overall dimensions: W 1326 x H 2050 mm

Weight: 13.80 kg

Delivery time: 5 working days without digital printing



Information panels „Basic module III“


Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 1500x990mm

Overall dimensions: W 1626 x H 2050 mm

Weight: 15.50 kg

Delivery time: 5 working days without digital printing



Information panels „Attachment module 180° I“


Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 990x990mm

Overall dimensions: WB 1088 x H 2050 mm

Weight: 9.30 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
Attachment module 180° I	61.403
Attachment module 180° II	61.404
Attachment module 180° III	61.405

Information panels „Attachment module 180° II“


Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 1200x990mm

Overall dimensions: W 1299 x H 2050 mm

Weight: 10.30 kg

Delivery time: 5 value days without digital printing



Information panels „Attachment module 180° III“


Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 1500x990mm

Overall dimensions: W 1599 x H 2050 mm

Weight: 11.90 kg

Delivery time: 5 working days without digital printing



Information panels „Attachment module 90°-270° I“


Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 990x990mm

Overall dimensions: W 1088 x H 2050 mm

Weight: 9.30 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
Attachment module 90°-270° I	61.406
Attachment module 90°-270° II	61.407
Attachment module 90°-270° III	61.408

Information panels „Attachment module 90°-270° II“


Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 1200x990mm

Overall dimensions: W 1299 x H 2050 mm

Weight: 10.30 kg

Delivery time: 5 working days without digital printing



Information panels „Attachment module 90°-270° III“


Aluminium construction including Round base à 0.95 kg

and 1x PVC rigid foam panel 1500x990mm

Overall dimensions: W 1599 x H 2050 mm

Weight: 11.90 kg

Delivery time: 5 working days without digital printing



Information panels „Basic module IV“


Aluminum frame construction, modular, including Round base

à 0.95 kg and 1x PVC rigid foam panel 990 x 990 mm

Overall dimensions: W 1116 x H 2050 mm

Weight: 12.80 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
Basic module IV	61.409
Basic module V	61.410
Basic module VI	61.411

Information panels „Basic module V“


Aluminum frame construction, modular, including Round base

à 0.95 kg and 1x PVC rigid foam panel 1200x990mm

Overall dimensions: W 1326 x H 2050 mm

Weight: 13.80 kg

Delivery time: 5 working days without digital printing



Information panels „Basic module VI“



Aluminum frame construction, modular, including Round base

à 0.95 kg and 1x PVC rigid foam panel 1500x990mm

Overall dimensions: W 1626 x H 2050 mm

Weight: 15.50 kg

Delivery time: 5 working days without digital printing




Information panels „Attachment module 180° IV“

Aluminum frame construction, modular, including Round base à 0.95 kg and 1x PVC rigid foam panel 990x990mm

Overall dimensions: W 1088 x H 2050 mm

Weight: 9.30 kg

Delivery time: 5 working days without digital printing




Information panels „Attachment module 180° V“

Aluminum frame construction, modular, including Round base à 0.95 kg and 1x PVC rigid foam panel 1200x990mm

Overall dimensions: W 1299 x H 2050 mm

Weight: 10.30 kg

Delivery time: 5 working days without digital printing




Information panels „Attachment module 180° VI“

Aluminum frame construction, modular, including Round base à 0.95 kg and 1x PVC rigid foam panel 1500x990mm

Overall dimensions: W 1599 x H 2050 mm

Weight: 11.90 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
Attachment module 180° IV	61.412
Attachment module 180° V	61.413
Attachment module 180° VI	61.414

Information panels „Attachment module 90°-270° IV“


Aluminum frame construction, modular, including Round base

à 0.95 kg and 1x PVC rigid foam panel 990x990mm

Overall dimensions: W 1088 x H 2050 mm

Weight: 9.30 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
Attachment module 90°-270° IV	61.415
Attachment module 90°-270° V	61.416
Attachment module 90°-270° VI	61.417

Information panels „Attachment module 90°-270° V“


Aluminum frame construction, modular, including Round base

à 0.95 kg and 1x PVC rigid foam panel 1200x990mm

Overall dimensions: W 1299 x H 2050 mm

Weight: 10.30 kg

Delivery time: 5 working days without digital printing



Information panels „Attachment module 90°-270° VI“


Aluminum frame construction, modular, including Round base à 0.95 kg

and 1x PVC rigid foam panel 1500x990mm

Overall dimensions: W 1599 x H 2050 mm

Weight: 11.90 kg

Delivery time: 5 working days without digital printing





Information stands „Solid I“

Aluminium construction including Round base à 0.95 kg,
and 4x PVC rigid foam panel 990x990mm

Overall dimensions: W 1116 x H 2050 mm

Weight: 33.50 kg

Delivery time: 5 working days without digital printing





Information stands „Solid II“

Aluminium construction including Round base à 0.95 kg,
and 4x PVC rigid foam panel 1200x990mm

Overall dimensions: W 1326 x H 2050 mm

Weight: 37.50 kg

Delivery time: 5 working days without digital printing




Information stands „Solid III“

Aluminium construction including Round base à 0.95 kg,
and 4x PVC rigid foam panel 1500x990mm

Overall dimensions: W 1626 x H 2050 mm

Weight: 43.50 kg


Delivery time: 5 working days without digital printing



Item designation	Item No.
„Solid I“	61.418
„Solid II“	61.419
„Solid III“	61.420

Information stands „Quattro I“


Aluminium construction including Round base à 0.95 kg,
and 4x PVC rigid foam panel 990x990mm
Overall dimensions: W 2189 x H 2050 mm
Weight: 36.00 kg
Delivery time: 5 working days without digital printing



Item designation	Item No.
„Quattro I“	61.421
„Quattro II“	61.422
„Quattro III“	61.423


Information stands „Quattro II“

Aluminium construction including Round base à 0.95 kg,
and 4x PVC rigid foam panel 1200x990mm
Overall dimensions: W 2609 x H 2050 mm
Weight: 40.00 kg
Delivery time: 5 working days without digital printing



Information stands „Quattro III“

Aluminium construction including Round base à 0.95 kg,
and 4x PVC rigid foam panel 1500x990mm
Overall dimensions: W 3209 x H 2050 mm
Weight: 46.50 kg
Delivery time: 5 working days without digital printing





Information stands „Eco I“

Aluminium construction including Round base à 0.95 kg
and 3x PVC rigid foam panel 990x990mm

Overall dimensions: W 1116 x H 2050 mm

Weight: 28.00 kg

Delivery time: 5 working days without digital printing





Information stands „Eco II“

Aluminium construction including Round base à 0.95 kg
and 3x PVC rigid foam panel 1200x990mm

Overall dimensions: W 1326 x H 2050 mm

Weight: 31.00 kg

Delivery time: 5 working days without digital printing





Information stands „Eco III“

Aluminium construction including Round base à 0.95 kg
and 3x PVC rigid foam panel 1500x990mm

Overall dimensions: W 1626 x H 2050 mm

Weight: 35.60 kg



Delivery time: 5 working days without digital printing



Item designation	Item No.
„Eco I“	61.424
„Eco II“	61.425
„Eco III“	61.426



Moveable information stands 90°-270° „Trio I“

Aluminium construction including Round base à 0.95 kg,
and 3x PVC rigid foam panel 990x990mm
Overall dimensions: W 2189 x H 2050 mm
Weight: 28.50 kg
Delivery time: 5 working days without digital printing





Moveable information stands 90°-270° „Trio II“

Aluminium construction including Round base à 0.95 kg,
and 3x PVC rigid foam panel 1200x990mm
Overall dimensions: W 2609 x H 2050 mm
Weight: 31.50 kg
Delivery time: 5 working days without digital printing



Moveable information stands 90°-270° „Trio III“

Aluminium construction including Round base à 0.95 kg,
and 3x PVC rigid foam panel 1500x990mm
Overall dimensions: W 3209 x H 2050 mm
Weight: 36.50 kg
Delivery time: 5 working days without digital printing



Item designation	Item No.
„Trio I“	61.427
„Trio II“	61.428
„Trio III“	61.429

Moveable information stands 90°-270° „Flexo I“



Aluminium construction including Round base à 0.95 kg

and 3x PVC rigid foam panel 990x990mm

Overall dimensions: W 3262 x H 2050 mm

Weight: 31.50 kg

Delivery time: 5 working days without digital printing



Moveable information stands 90°-270° „Flexo II“



Aluminium construction including Round base à 0.95 kg

and 3x PVC rigid foam panel 1200x990mm

Overall dimensions: W 3892 x H 2050 mm

Weight: 34.50 kg

Delivery time: 5 working days without digital printing



Moveable information stands 90°-270° „Flexo III“



Aluminium construction including Round base à 0.95 kg

and 3x PVC rigid foam panel 1500x990mm

Overall dimensions: W 4792 x H 2050 mm

Weight: 39.00 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
„Flexo I“	61.430
„Flexo II“	61.431
„Flexo III“	61.432

Moveable information stands 90°-270° „Flexo IV“



Aluminium construction including Round base à 0.95 kg

and 6x PVC rigid foam panel 990x990mm

Overall dimensions: W 6481 x H 2050 mm

Weight: 47.90 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
„Flexo IV“	61.433
„Flexo V“	61.434

moveable Info stand 90°-270° „Flexo V“



Aluminium construction including Round bases à 0.95 kg

and 6x PVC rigid foam panel 1200x990mm

Overall dimensions: W 7741 x H 2050 mm

Weight: 53.90 kg

Delivery time: 5 working days without digital printing




Moveable information stands 90°-270° „Flexo VI“

Aluminium construction including Round base à 0.95 kg
and 6x PVC rigid foam panel 1500x990mm


Overall dimensions: W 9541 x H 2050 mm


Weight: 63.50 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
„Flexo VI“	61.435








Complete your information stands with our accessories. You will find corresponding articles on pages 24 and 25.



Information on the Irus attachment module 90°-270°



Thanks to our angle connector positions from 90° to 270° can be realized.



Presentation panels – simple and easy to assemble




Simply add the 90° and 90° - 270° attachment module to the basic module.



irux
System[®]
Display



infinitely variable adjustable



Information on the Irus profile extension



Advantages of profile extension


- easy to transport
- easy installation with only one person possible
- mountable with only one tool



Extension bolts

Ø 8.5 x 110 mm, Turned in the middle 45°

Item designation	Item No.
Extension bolt Ø 8.5 x 110 mm	30.748




As the bolt has been turned in the middle 45°, it cannot slip through the profile



Applications



Extend to your liking!
whether 2x1m, 2x1.5m
or 3x0.8m






Enter your profile length




Triple extension

Wall mounting




Application in detail




Mount the panel directly on the wall.



Application



Attach the panel directly to the wall.



Quite simple with our wall connection for the guidance system.

Design your own information and presentation panels.


Step 1:

First create your own design and then draw the panel arrangement.



Step 2:

Choose your panel sizes and thickness (max. 8mm)!
For print data, see page 26.



Obtain the panel material directly from your on-site panel supplier and save yourself. Thus you save yourself expensive transport costs.

Special panel dimensions

Step 3:

Choose the required round base or feet!



Please note that the round base and the feet have a different effect on the stability of your advertising panel.



Step 4:

Choose the desired items and enter them on the order form on page 37.




Flexi-Long

Aluminium profile with double-sided thread M10

- 30.710 Aluminium profile 2.00 m (2.55 kg)
- 30.720 Aluminium profile 1.70 m (2.16 kg)
- 30.730 Aluminium profile 1.50 m (1.90 kg)
- 30.740 Aluminium profile 1.00 m (1.27 kg)

Material: Aluminium
Surface: silver coloured, anodized E6/EV1

Stock item



Item designation	Item No.
Aluminium profile 2.0 m	30.710
Aluminium profile 1.7 m	30.720
Aluminium profile 1.5 m	30.730
Aluminium profile 1.00 m	30.740

Round base Ø 32 cm


30.750 Round base 0.95 kg

30.751 Round base 1.90 kg

Material: steel

Surface: RAL 9006 powder-coated

Stock item



Item designation	Item No.
Round base 0.95 kg	30.750
Round base 1.90 kg	30.751
Foot	30.752
Foot adjustable	30.770

Foot 60 cm

Foot natural anodised 60 cm.



Alternatively for the round base Ø 32cm

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 280 g

Stock item




Foot adjustable M 10 x 30

Material: PP / steel

Surface: galvanized

Weight: 60 g

Stock item




Conical cover

Material: wooden cone

Surface: painted silver

Weight: 40 g

Stock item



Item designation	Item No.
Conical cover	30.760
Extension bolts Ø 8.5 x 110 mm	30.748
Allen screwdriver SW 5	10.999
Allen screwdriver SW 6	11.999

Extension bolts

Ø 8.5 x 110 mm, turned in the middle 45°

Material: steel

Surface: bronzed

Weight: 60 g

Stock item



Allen screwdriver

10.999 SW 5 for 3 - 10 mm connector

11.999 SW 6 for 10-16 mm connector

Material: steel

Surface: galvanized

Stock item



Middle connector 180°

Material: Aluminium

Surface: silver coloured, anodized E6/EV1




Weight: 65 g

Stock item

Steel clamping screws



for panel thicknesses of 3 - 10 mm



Plastic clamping screw



Angle connector

Ready mounted, stepless adjustment (90° - 270°)


Material: Aluminium

Surface: silver coloured, anodized E6/EV1




Weight: 65 g

Stock item


Steel clamping screws



for panel thicknesses of 3 - 10 mm



Plastic clamping screw



Item designation	Item No.
Middle connector / Steel clamping screw 3-5 mm	00.005
Middle connector / Steel clamping screw 5-8 mm	00.105
Middle connector / Steel clamping screw 8-10 mm	00.205
Middle connector / Plastic clamping screw 3-5 mm	01.005
Middle connector / Plastic clamping screw 5-8 mm	01.105
Middle connector / Plastic clamping screw 8-10 mm	01.205
Angle connector / Steel clamping screw 3-5 mm	20.001
Angle connector / Steel clamping screw 5-8 mm	20.101
Angle connector / Steel clamping screw 8-10 mm	20.201
Angle connector / Plastic clamping screw 3-5 mm	21.001
Angle connector / Plastic clamping screw 5-8 mm	21.101
Angle connector / Plastic clamping screw 8-10 mm	21.201

Multifunction connector

Ready mounted, stepless adjustment (0° - 360°)

Material: Aluminium

Surface: silver coloured, anodized E6/EV1


Weight: 75 g

Stock item


Steel clamping screws



for panel thicknesses of 3 - 10 mm



Plastic clamping screw



Wall support

Material: Aluminium

Surface: silver coloured, anodized E6/EV1


Weight: 25 g

Stock item


Steel clamping screws



for panel thicknesses of 3 - 10 mm



Plastic clamping screw



Item designation	Item No.
Multi connector Steel clamping screw / of 3-5 mm	20.007
Multi connector Steel clamping screw / of 5-8 mm	20.107
Multi connector Steel clamping screw / of 8-10 mm	20.207
Multi connector Plastic clamping screw of 3-5 mm	21.007
Multi connector Plastic clamping screw of 5-8 mm	21.107
Multi connector Plastic clamping screw of 8-10 mm	21.207
Wall support / Steel clamping screw 3-5 mm	00.009
Wall support / Steel clamping screw 5-8 mm	00.109
Wall support / Steel clamping screw 8-10 mm	00.209
Wall support / Plastic clamping screw 3-5 mm	01.009
Wall support / Plastic clamping screw 5-8 mm	01.109
Wall support / Plastic clamping screw 8-10 mm	01.209


Moveable aluminum snap frame Rondo

incl. attachment for aluminium profile

70.018 DIN A4 Weight: 1 kg

70.019 DIN A3 Weight: 1.5 kg

Delivery time: 5 working days





Rigid aluminum snap frame Rondo

incl. attachment for aluminium profile

70.020 DIN A4 Weight: 1 kg

70.021 DIN A3 Weight: 1.5 kg

Delivery time: 5 working days




Brochure holder DIN A 4

incl. attachment for aluminium profile

70.017 DIN A4

Weight: 0.5 kg

Stock item



Item designation	Item No.
Moveable aluminium snap frame Rondo DIN A4	70.018
Moveable aluminium snap frame Rondo DIN A3	70.019
Rigid aluminium snap frame Rondo DIN A4	70.020
Rigid aluminium snap frame Rondo DIN A4	70.021
Brochure holder DIN A4	70.017

Longarm spotlight 450 mm


incl. bulbs 120W Cantilever arm chrome-plated,
spotlight head rotatable approx. 355 °
and 90 ° swiveling, aluminum housing, powder coated /
galvanized, with wide-angle aluminum reflector
Stock item



Round table

Aluminium frame construction including printed
advertising surface and RGB LED lighting
H 1030 x W 900 x D 500mm

Delivery time: 5 working days



Item designation	Item No.
Longarm spotlight 450mm	70.210
Exhibition table round	61.034
Carrying protective bag	70.033
Carrying protective bag	70.034

Carrying, protective bag for PVC rigid foam panel

Scircumferential zipper, interior upholstered with
reinforced corners


70.033 Outside dimensions: H 1040 x W 1030 x D 80 mm
suitable for panel 990x990mm

70.034 Outside dimensions: H 1290 x W 1030 x D 80 mm
suitable for panel 1200x990mm

Stock item



**Print the panel exactly as you wish
one-sided!**



Let the panel be printed according
to your ideas.

Just submit your print templates.

Print data: PDF/EPS/TIFF/JPEG/CMYK-Modus



Item No. 70.000

4C-digital printing, one sided printing, UV-protective
laminate matt on 990 x 990 mm panel.

Print data: PDF/EPS/TIFF/JPEG/CMYK-mode

Item No. 70.001

4C-digital printing, one sided printing, UV-protective
laminate matt on 1200 x 990 mm panel.

Print data: PDF/EPS/TIFF/JPEG/CMYK-mode

Item No. 70.002

4C-digital printing, one sided printing, UV-protective
laminate matt on 1500 x 990 mm panel.



Print data: PDF/EPS/TIFF/JPEG/CMYK-mode

Item No. 70.003

4C-digital printing, one sided printing, UV-protective
laminate matt, panel size at the customer's request.
Per qm2

Print data: PDF/EPS/TIFF/JPEG/CMYK-mode

Applications





Information and presentation panels



Information stands „Basic module VII“

Aluminum frame construction - modular,
including Round base à 0.95 kg
Suitable for panel sizes 1x W 955 x H 979 x 6mm
W 1041 x H 2000 mm
Weight: 8.90 kg

Delivery time: 5 working days






Item designation	Item No.
„Basic module VII“	61.436
„Attachment module VII“	61.437

Information stands „Attachment module VII“

Aluminum frame construction - modular,
including Round base à 0.95 kg
Suitable for panel sizes 1x W 955 x H 979 x 6mm
W 1041 x H 2000 mm
Weight: 5.40 kg

Delivery time: 5 working days



Information stands „Basic module VIII“



Aluminum frame construction - modular, including Round base

à 0.95 kg and 1x PVC rigid foam panel 955 x 979 x5mm

Overall dimensions: W 1041 x H 2000 mm

Weight: 13.90 kg

Delivery time: 5 working days without digital printing



Item designation	Item No.
„Basic module VIII“	61.438
„Attachment module VIII“	61.439

Information stands „Attachment Module VIII“

Aluminum frame construction - modular, including Round base

à 0.95 kg and 1x PVC rigid foam panel 955 x 979 x 5mm

Overall dimensions: W 1041 x H 2000 mm

Weight: 10.40 kg

Delivery time: 5 working days without digital printing






Fig. with foot 60cm




Put together your own info wall, advertising wall or presentation wall.



Step 1:

First determine your desing! Then draw your variants for yourself.



Step 2:

Choose your panel sizes and thickness (max. 6mm)!
For print data, see page 33.



Maximum panel width for the system is 1800mm. The height can be made flexible by the extension bolt.



Obtain the panel material directly from your on-site plate supplier. Thus you save yourself expensive transport costs.

Panel special dimensions on request!

Step 3:

Choose the required round base or feet!



Remember that the round base and the the feet give your advertising wall differently stability.



Step 4:

Choose the desired items and enter them on the order form on page 37.

Flexi-Dock




cross profile 920 mm

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 890 g

Stock item



Item designation	Item No.
Flexi-Dock	40.001
Flexi-Snap	40.000
Extension bolt Ø 8.5 x110 mm	30.748

Flexi-Snap




Fitting for fixing the Flexi-Dock aluminum profile.

Material: aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 35 g

Stock item



Extension bolts

Ø 8.5 x 110 mm, turned in the middle 45°

Material: steel

Surface: bronzed

Weight: 60 g

Stock item



Flexi-Long

Aluminium profile with one-sided thread M10
and 8 holes on the thread side




Material: aluminium

Surface: silver coloured, anodized E6/EV1

40.003 Aluminium profile 1.25 m (1.70 kg)

40.004 Aluminium profile 1.00 m (1.30 kg)

Stock item



Item designation	Item No.
Aluminium profile 1.25 m	40.003
Aluminium profile 1.00 m	40.004
Round base 0.95 kg	30.750
Round base 1.90 kg	30.751

Round base Ø 32 cm



30.750 Round base 0.95 kg

30.751 Round base 1.90 kg

Material: steel

Surface: RAL 9006 powder-coated

Stock item



Foot 60 cm

Foot natural anodised 60 cm.



Alternatively for the round base Ø 32cm

Material: Aluminium

Surface: silver coloured, anodized E6/EV1

Weight: 280 g

Stock item



Item designation	Item No.
Foot 60 cm	30.752
Carrying protective bag	70.033

Carrying, protective bag for PVC foam board

circumferential zipper, interior upholstered,

reinforced corners


suitable for panel 990x990mm

Outside dimensions: H 1040 x W 1030 x D 80 mm

Stock item



Print your panel!



Item No. 70.004

4C-digital printing, one sided printing, UV-protective laminate matt on 955 x 980 mm panel.

Print data: PDF/EPS/TIFF/JPEG/CMYK-mode

Item No. 70.005


4C-digital printing, one sided printing, UV-protective laminate matt, panel size at the customer's request.

Per qm2



Print data: PDF/EPS/TIFF/JPEG/CMYK-mode

Calculation example for the panel size.

Example for the panel height



Example for the panel width




We gladly assist you in the calculation.

Construction very easy!


1.

Mount the lower profile with the basic feet and the cross profile.
Simply insert the extension bolt into the lower profiles.
Attention: the holes in the profiles must always be at the top




2.

Slide the upper profile over the extension bolts.
Attention: the holes in the profiles must always be at the top




3.

Slide the panel into position.
If necessary, stabilize the panel use the H-profiles.



4.

Mount the cross profile and the panel is ready.





Order form



contact address:

Item No.	Item designation	Quantity

Additional information

Place, Date, Signature

The manifold possibilities with Irus products!


Orientation systems



Presentation uprights



Brochure stands



Printed panels



Brochure stands



Partition walls



Irus-System
Kirchstraße 15
D-78176 Blumberg

Telefon +49 7702 / 3685
Telefax +49 7702 / 9045

info@irus-system.com
www.irus-system.com
www.irus-displays.com